VOLUME 10

SUBJECT INDEX

Acetic anhydride-^{3}H
  use of, in a double isotope derivative assay for progesterone, 257
ACTH, effect on testosterone production rates, 441
Acetylation
  of 2,4-dibromo^{82}-estra-1,3,5(10)-triene-3,17β-diol, 15
Adrenal function, stability and control after adenohypophysectomy, 699
Adrenal hyperplasia, congenital
  effect on testosterone production rates, 441
Adrenosterone (see Androst-4-ene-3,11,17-trione)
Aldosterone
  formation of, in rabbit adrenal tissue, from progesterone, 71
Amniotic fluid
  determination of 3β-hydroxy-Δ^{5} steroids in, 359
  distribution of 17-oxosteroids and 17-hydroxycorticosteroids in, 669
Androsta-1,4-diene-3,11,17-trione
  use of, as an added internal standard for the sodium bismuthate oxidation of corticosteroids, 93
5α-Androstane-3α,17β-diol
  biological activity of, 75
  from metabolism of testosterone in chicken uropygial gland, 425
5α-Androstan-3α-ol-17-one
  from metabolism of testosterone in chicken uropygial gland, 425
5α-Androstan-3β-ol-17-one, potassium sulfate salt of
  solvolysis by methanol/boron trifluoride and by dimethyl sulfoxide, 307
5α-Androstan-3,17-dione
  from metabolism of testosterone in chicken uropygial gland, 425
5α-Androstane-17-one, mass spectrometry of, 653
5α-Androstan-2α-methyl-17β-ol-3-one, propionate
  effect on 17β-estradiol uptake by normal and neoplastic breast tissue, 219
5α-Androstane-17α-methyl-3α,17β-diol, biological activity of, 75
Androstendiol (see Androst-5-ene-3β,17β-diol)
Androstendione (see Androst-4-ene-3,17-dione)
5α-Androst-2-ene-17α-methyl-17β-ol, biological activity of, 75
5α-Androst-2-en-17β-ol
  biological activity of, causes of prolonged action of, and oxidation of by guinea pig liver dehydrogenase, 75
5α-Androst-2-en-17-one, 75
Androst-4-en-3β-ol-17-one, synthesis of, 411
Androst-4-ene-3,17-dione
  blood production rates, 441
  conversion to androst-4-en-3β-ol-17-one, 411
  conversion to testosterone, in monkey, 49
  determination in human plasma, 15
  metabolic end product in human corpus luteum, 617
  metabolism in human thymus, 397
  significance of, in the formation of testosterone in testicular tissue, 347

VOLUME 10

SUBJECT INDEX

Acetic anhydride-^{3}H
  use of, in a double isotope derivative assay for progesterone, 257
ACTH, effect on testosterone production rates, 441
Acetylation
  of 2,4-dibromo^{82}-estra-1,3,5(10)-triene-3,17β-diol, 15
Adrenal function, stability and control after adenohypophysectomy, 699
Adrenal hyperplasia, congenital
  effect on testosterone production rates, 441
Adrenosterone (see Androst-4-ene-3,11,17-trione)
Aldosterone
  formation of, in rabbit adrenal tissue, from progesterone, 71
Amniotic fluid
  determination of 3β-hydroxy-Δ^{5} steroids in, 359
  distribution of 17-oxosteroids and 17-hydroxycorticosteroids in, 669
Androsta-1,4-diene-3,11,17-trione
  use of, as an added internal standard for the sodium bismuthate oxidation of corticosteroids, 93
5α-Androstane-3α,17β-diol
  biological activity of, 75
  from metabolism of testosterone in chicken uropygial gland, 425
5α-Androstan-3α-ol-17-one
  from metabolism of testosterone in chicken uropygial gland, 425
5α-Androstan-3β-ol-17-one, potassium sulfate salt of
  solvolysis by methanol/boron trifluoride and by dimethyl sulfoxide, 307
5α-Androstan-3,17-dione
  from metabolism of testosterone in chicken uropygial gland, 425
5α-Androstane-17-one, mass spectrometry of, 653
5α-Androstan-2α-methyl-17β-ol-3-one, propionate
  effect on 17β-estradiol uptake by normal and neoplastic breast tissue, 219
5α-Androstane-17α-methyl-3α,17β-diol, biological activity of, 75
Androstendiol (see Androst-5-ene-3β,17β-diol)
Androstendione (see Androst-4-ene-3,17-dione)
5α-Androst-2-ene-17α-methyl-17β-ol, biological activity of, 75
5α-Androst-2-en-17β-ol
  biological activity of, causes of prolonged action of, and oxidation of by guinea pig liver dehydrogenase, 75
5α-Androst-2-en-17-one, 75
Androst-4-en-3β-ol-17-one, synthesis of, 411
Androst-4-ene-3,17-dione
  blood production rates, 441
  conversion to androst-4-en-3β-ol-17-one, 411
  conversion to testosterone, in monkey, 49
  determination in human plasma, 15
  metabolic end product in human corpus luteum, 617
  metabolism in human thymus, 397
  significance of, in the formation of testosterone in testicular tissue, 347

Androst-4-en-3α-ol-11, 17-dione
isolation from hypothyroid subject after administration of a large dose of androst-4-ene-3,11,17-trione, 233
Androst-4-ene-3,11,17-trione, metabolism of, in man, 233
Androst-4-en-3α-ureido-11,17-dione, 233
Androst-4-en-11β-ol-3,17-dione, metabolism of, in man, 233
Androst-4-en-11β-ol,3,17-dione-4-^{14}C
from decomposition of cortisol-4-^{14}C, 155
Androst-4-en-17α-ol-3-one ("Epitestosterone")
separation and estimation of, from urine, 457
Androst-4-en-17β-ol-3-one (see Testosterone)
Androst-4-en-17β-ol-3-one, potassium sulfate salt of
solvolysis by methanol/boron trifluoride and by dimethyl sulfoxide, 307
Androst-4-en-17α-ol-3-one sulfate ("Epitestosterone sulfate")
from male plasma, 501
Androst-5-ene-3β,17α-diol
determination of, in human fetal blood, amniotic fluid, and urine, 359
Androst-5-ene-3β,17β-diol (called Δ^5-Androstendiol)
conversion to testosterone, in monkey, 49
determination of, in human fetal blood, amniotic fluid, and urine, 359
significance of, in the formation of testosterone in testicular tissue, 347
Androst-5-ene-3β,16α,17β-triol
determination of, in human fetal blood, amniotic fluid, and urine, 359
Androst-5-ene-3β,16α-diol-17-one
determination of, in human fetal blood, amniotic fluid, and urine, 359
Androst-5-en-3β-ol-17-one
conversion to testosterone, in monkey, 49
determination of, in human fetal blood, amniotic fluid, and urine, 359
determination of, in human plasma, 15
metabolism in human corpus luteum, 617
Androst-5-en-3β-ol-17-one-4-^{14}C
use of, in the study of male pseudohermaphroditism, 347
Androst-5-ene-3β,17β-diol-16-one
determination of, in human fetal blood, amniotic fluid, and urine, 359
Antimony trichloride
use of, in developing thin-layer chromatograms, 359
Antiphlogistic and systemic effects, of 21-deoxytriamcinolone acetonide, 199
Aromatization
of certain androgens, to 17β-estradiol with a microsomal fraction from human term placenta, 15
Ascrobic acid induced lipid alteration
microsomal steroid C-21 hydroxylase, 567
Autoradiography
use of, in the study of 17β-estradiol-6,7-^{3}H incorporation into rat uterus, 661

Biological activity, of progestins, 291
Biosynthesis
of cholesterol in rat, manipulation by drugs, 1
of cholesterol, inhibitor of, in rat (see Triiodothyropropionic acid)
elucidation of pathway of, for testosterone, in monkey, 49
Blood, determination of 3β-hydroxy-Δ^5 steroids in fetal blood, 359
Breast cancer, uptake of 17β-estradiol, 219
Bromination, with bromine-82, of 17β-estradiol, 15

Children, pre-pubertal
estimation of urinary testosterone and androst-4-en-17α-ol-3-one in, 457
Chlormadinone acetate (see Pregna-4,6-dien-17α-acetoxy-6-chloro-3,20-dione)
5α-Cholestan-3β-ol, potassium sulfate salt of
solvolysis by methanol/boron trifluoride and by dimethyl sulfoxide, 307
5α-Cholestan-3-one
reduction by mouse liver 3β-hydroxysteroid dehydrogenase, 31
Cholest-4-en-3β-ol
oxidation by mouse liver 3β-hydroxysteroid dehydrogenase, 31
Cholesta-4,6-dien-3β-ol
oxidation by mouse liver 3β-hydroxysteroid dehydrogenase, 31
Cholesta-4,7-dien-19-ol-3-one
microbiological conversion to equilin, 313
Cholest-5-en-3β-ol (see Cholesterol)
Cholest-5-en-3β-ol-4-^{14}C (see Cholesterol 4-^{14}C)
5α-Cholest-7-en-3-one
reversible reduction by mouse liver 3β-hydroxysteroid dehydrogenase, 31
5α-Cholesta-4,4,14α-Trimethyl-8,24-dien-3β-ol (see Lanosterol)
Cholesterol
biosynthesis of, in rat, manipulation by drugs, 1
manipulation of balance of, by drugs, in rat, 1
turnover and regulation, in rat, 1
Cholesterol-4-^{14}C
rate of excretion in rat after feeding of sodium-4-^{14}C acetate, 1
Cholesterol, potassium sulfate salt of
solvolysis by methanol/boron trifluoride and by dimethyl sulfoxide, 307
Cholesterol precursors, mass spectrometric investigations, 189
Cholestyramine (generic name: a quaternary ammonium anion exchange resin-a styrene-divinyl benzene copolymer)
bile acid binding polymer, use in study of cholesterol biosynthesis in rat, 1
Chromatography, celite
on testosterone sulfate and related compounds, 501
Chromatography, column
of insect hormones (steroid polyols), 557
of metabolic products (from a 16-hydroxylase) from progesterone, 107
of products of progesterone metabolism, 115
of some steroidal $\Delta^{4,9,11}$-3-ketones, 211
on silica gel, for determination of corticosteroids in urine, 473
Chromatography, gas-liquid
of androgens, 441

combined with mass spectrometry, 189
of corticosteroids, 93
in the determination of corticosteroids after quantitative sodium bismuthate oxidation, 93
of 20,21-isopropylidenedioxy 20,21-corticosteroids, 527
steroidal ketones and TMS ethers of alcohols, 31
of C_{21}-steroidal triols (TMS ethers), 577
of testosterone metabolites, 425
with electron capture, with flame ionization on steroidal-3-enol-heptafluorobutyrates, 509
(also see Electron capture gas chromatography)
Chromatography, paper
of androgens, 15 , 441
of androstane derivatives, 233
of corticosteroids, 83
of cortisone metabolites from human skin, 489
of decomposition products of cortisol, 155
of metabolites of progesterone (androgens), 49
of progesterone and pregn-4-en-20α-ol-3-one, 257
of C_{21}-steroidal triols, 577
of testosterone and androst-4-en-17α-ol-3-one, 457
Chromatography, thin-layer
of 20,21-acetonides of corticosteroids, 527
of androgens, 71, 441
of androstane derivatives, 233
color identification of Δ^4-3β-sterols, Δ^5-3β-sterols, Δ^4-steroidal-3-ketones, and 17-hydroxy-corticosteroids, 169
of corticosteroids, 83
of insect hormones (steroid polyols), 557
of the methylation products of estriol and its 16,17 epimers,547
of products of progesterone metabolism, 115
separation of 3β-hydroxy-Δ^5-steroids, 359
steroid reactions on thin-layer films -- 152 examples, 169
on steroidal-3-enol-heptafluorobutyrates, 509
of steroidal hormones and their metabolic products from human corpus luteum, 617
of Δ^5-steroids color reactions, 359
of testosterone and androst-4-en-17α-ol-3-one, 457
of testosterone metabolites, 425
on testosterone sulfate and related compounds, 501
Cockerels, control of adrenal function in, 699
Colorimetric determination of corticosteroids, 473
Corpus luteum, human
conversion of progesterone-7H^3 to radioactive pregn-4-en-16α-ol-3,20-dione, 107
transformation of isotopically labelled steroids, 617
Corticosteroids
analysis by gas-liquid chromatography, 527
determination of, in urine, 473
oxidation of, by sodium bismuthate, for gas chromatographic quantization, 93
Corticosteroids, 20,21-dihydroxy
20,21-isopropylidenedioxy derivative of, preparation and gas chromatographic behavior, 527

Corticosterone
identification in cattle blood, 83
regulation by hypothalamus, 699
Cortisol
formation of, as a metabolic product of cortisone in human skin, 489
identification in cattle blood, 83
Cortisol-4-^{14}C
decomposition to androst-4-en-11β-ol-3,17-dione, 155
Cortisone, transformation to cortisol in human skin, 489

DDQ, dehydrogenations with, 211
Dehydrogenase
3β-hydroxysteroid, 31
11β-hydroxysteroid, 71
steroidal-5-en-3β-ol, in human corpus luteum,617
Dehydroepiandrosterone (see Androst-5-en-3β-ol-17-one)
21-Deoxytriamcinolone acetonide, laboratory evaluation of, 199
Deuterium introduction, at C-14 in 17-keto steroids, 653
2,4-Dibromo^{82}-estra-1,3,5(10)-triene-3,17β-diol
use of, in determination of androgens in human plasma, 15
2,3-Dichloro-5,6-dicyano-P-benzoquinone (see DDQ)
[P-(β-Diethylaminoethoxy)phenyl]-1-(P-tolyl)-2-(P-chlorophenyl)ethanol
(see Triparanol)
Double isotope derivative analysis
estrogens, 317
progesterone and pregn-4-en-20α-ol-3-one, 257
progesterone, in pregnant women, 279
testosterone sulfate and related compounds, 501
Dromostanolone propionate (see 5α-Androstan-17β-ol-2α-methyl-3-one, propionate)

Eceysterone, extraction from Podocarpaceae and related plants, 557
Electron capture gas chromatography
use of, in measurement of plasma estrogens, 127
Epitestosterone (see Androst-4-en-17α-ol-3-one)
Epitestosterone sulfate (see Androst-4-en-17α-ol-3-one sulfate)
Equilin
microbiological synthesis from cholesta-4,7-dien-19-ol-3-one, 313
17β-Estradiol
as an intermediate in the determination of androgens in human plasma, 15
determination of, in human plasma, 127
discharge from normal and neoplastic breast tissue, 219
effect on implantation in mice, 591
identification in human breast tumours, 219
metabolism in human thymus, 397
metabolic end product in human corpus luteum, 617
uptake by normal and neoplastic breast tissue, 219
17β-Estradiol-^{3}H, 219
17β-Estradiol-6,7-^{3}H
incorporation by rat uterus, 661
use in analysis of urinary metabolites, 317
17β-Estradiol-^{14}C
use in study of estrogen-glutathione conjugation in rat liver, 329

(17β-Estradiol) binding in vitro
in vitro system for the binding of estradiol to rat uterine nuclei, 635
Estra-1,3,5(10)-triene-3,16α,17α-triol
methylation by dimethyl sulfate in borate buffer, 547
Estra-1,3,5(10)-triene-3,16α,17β-triol (see Estriol)
Estra-1,3,5(10)-trien-3,16β,17α-triol
methylation by dimethyl sulfate in borate buffer, 547
Estra-1,3,5(10)-triene-3,16β,17β-triol
methylation by dimethyl sulfate in borate buffer, 547
Estra-1,3,5(10)-triene-3,17β-diol (see 17β-Estradiol)
Estr-1,3,5(10)-triene-3,17β-diol-3-cyclopentyl ether
effect on spermatogenesis, 687
Estra-1,3,5(10)-trien-3-ol-17-one (see Estrone)
Estra-1,3,5(10),7-tetraen-3-ol-17-one (see Equilin)
Estr-4-en-3β-ol-17-one, synthesis of, 411
Estr-4-ene-3,17-dione, conversion to estr-4-en-3β-ol-17-one, 411
Estr-4-en-17α-ethynyl-3β,17β-diol diacetate
effect on spermatogenesis, 687
synthesis of, 411
Estr-5(10)-en-17α-ethynyl-17β-ol-3-one
effect on spermatogenesis, 687
Estriol
analysis of, as a urinary metabolite, 317
determination of, in human plasma, 127
effect on implantation in mice, 591
methylation by dimethyl sulfate in borate buffer, 547
Estrogen heptafluorobutyrates, formation and properties of, 509
Estrogens
analysis by isotope derivative and by fluorimetry, 317
conjugation with glutathione in rat liver, 329
induction of delayed implantation in ovariectomised mice, 591
(also see Plasma estrogens)
Estrone
analysis of, as a urinary metabolite, 317
determination of, in human plasma, 127
effect on spermatogenesis, 687
metabolic end product in human corpus luteum, 617
metabolism in human thymus, 397
Extrahepatic processes
contribution to maintenance of cholesterol balance in rat, 1

Fluorimetry, attempted use in the analysis of estrogens, 317

β-Glucuronidase hydrolysis
of urinary metabolites, 317
of urine to recover corticosteroids, 527
Glutathione, conjugation with estradiol by rat liver microsomes, 329

HCG (human chorionic gonadotropin)
effect on testosterone production rates, 441
Heptafluorobutyrates
derivative of plasma estrogens, use of, for electron capture gas chromatography, 127
formation of steroidal-3-enol, 509

Hydrolysis, enzymatic, of corticosteroids, 473
17-Hydroxycorticosteroids, distribution in amniotic fluid, 669
Hydroxylase, steroid C-21
ascrobic acid induced lipid peroxidation, 567
inhibition by ascorbic acid, 567
16α-Hydroxylation, of progesterone, in human corpus luteum tissue, 107
17α-Hydroxypregnenolone (see Pregn-5-ene-3β,17α-dihydroxy-20-one)
17α-Hydroxyprogesterone (see Pregn-4-ene-17α-hydroxy-3,20-dione)
3-Hydroxy-steroid heptafluorobutyrates, formation and properties of, 509
3β-Hydroxy-Δ^5-steroids
separation and measurement of in human fetal blood, amniotic fluid, infant urine, and adult urine, 359
$\Delta^{5(10),9(11)}$-3-hydroxysteroids, dehydrogenation of, with DDQ, 211
17β-Hydroxysteroid dehydrogenase, activity in human thymus, 397
Idiopathic anorchism, effect on testosterone production rates, 441
Implantation, delayed in mouse induced by estrogens, 591
Incorporation, rate of, of sodium-1-^{14}C-acetate, in rat, 1
Inhibitor, of cholesterol biosynthesis in rat
(see Triiodothyropropionic acid)
Insect hormones
further isolation of ponasterone A and ecdysterone from plants, 557
β-[4-(3'-Iodo-4'-hydroxyphenoxy)-3,5,-diiodophenyl] propionic acid
(see Triiodothypropropionic acid)
20,21-Isopropylidenedioxy derivative
of some 20,21-dihydroxy-corticosteroids, preparation and gas chromatographic behavior, 527
Isotopic labels
D(=H^2), 653
H^3, 49, 107, 219, 233, 257, 317, 441, 501, 547, 661, 699
C^{14}, 1, 15, 49, 71, 115, 155, 233, 257, 317, 329, 347, 389, 425, 441, 489, 501, 547, 601, 617, 699
Br^{82}, 15

$\Delta^{5(10),9(11)}$-3-Ketosteroids, dehydrogenation of, with DDQ, 211
17-Ketosteroids, mass spectra of, 653

Lanosterol
failure to detect oxidation of, in mouse liver dehydrogenase, 31

Mass spectrometry
combined with gas chromatography, 189
17-ketosteroids, 653
unsaturated sterol acetates -- sterols biosynthetically related to cholesterol, 189
Mer-29 (see Triparalol)
Medrogestone (see Pregna-4,6-diene-6,17α-dimethyl-3,20-dione)
Medroxyprogesterone acetate (MAP)
(see Pregn-4-en-17α-acetoxy-6α-methyl-3,20-dione)
Methylation, with dimethyl sulfate, of estriol and its 16,17 epimers, 547
2-Methyl-1,2-bis(3-pyridil)-1-propanone (meta-pyrone)
as an inhibitor of 11-hydroxylation, 473
Metabolism
of androst-4-ene-3,11,17-trione and androst-4-en-11β-ol-3,17-dione, in man, 233

of estrogens and androst-4-ene-3,17-dione, in human thymus homogenates, 397
in human corpus luteum of isotopically labelled steroids, 617
of 5α-pregnan-3α-ol-20-one-4-^{14}C, in man, 389
of pregn-5-ene-3β,16α-diol-20-one in man, 577
Monkey, pathways for androgen biosynthesis in, 49
Moulting hormones, insect, from plant leaves, 557

NAD, effect on skin's metabolism of cortisone, 489
use with beef adrenal preparation, 71
NADH, effect on skin's metabolism of cortisone, 489
NADP, as cofactor for mouse liver 3β-hydroxysteroid dehydrogenase, 31
effect on skin's metabolism of cortisone, 489
use with beef adrenal preparation, 71
NADPH, effect on skin's metabolism of cortisone, 489
19-Nortestosterone, effect on spermatogenesis, 687

Oxidation, of 3β-hydroxysteroids, 31
17-Oxosteroids, distribution in amniotic fluid, 669
Pituitary gonadotrophin production
suppression of, by percutaneous application of steroids, 687
Plasma estrogens
gas chromatographic measurement using electron capture detector, 127
Polymer, bile acid binding (see Cholestyramine)
Ponasterone A
extraction from Podocarpaceae and related plants, 557
Porter-silber reaction
use of, in determination of corticosteroids in urine, 473
Pregna-1,4-diene-17α,20α,21-triol-3,11-dione
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
Pregna-1,4-diene-17α,20β,21-triol-3,11-dione
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
Pregna-1,4-diene-11β,17α,20α,21-tetraol-3-one
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
Pregna-1,4-diene-11β,17α,20β,21-tetraol-3-one
20,21-acetonide of, on gas-liquid and thin -layer chromatography, 527
Pregna-1,4-diene-9α-fluoro-16α,17α-isopropylidenedioxy-11β-ol-3,20-dione (see 21-Deoxytriamcinolone acetonide)
Pregna-4,6-diene-3β,17α-diacetoxy-6-chloro-20-one
hormonal and biological activities of, 291
Pregna-4,6-dien-17α-acetoxy-6-chloro-3,20-dione
hormonal and biological activities of, 291
Pregna-4,6-diene-6,17α-dimethyl-3,20-dione
hormonal and biological activities of, 291
5α-Pregnane-3α,20α-diol
as a metabolic end product in man, 389
5α-Pregnan-3α-ol-20-one-4-^{14}C, metabolism of , in man, 389
5α-Pregnane-3α,11β,17α,21-tetraol-20-one
estimation in urine, 473
5β-Pregnane-3α,16α,20α-triol
metabolite of pregn-5-ene-3β,16α-diol-20-one in man, 577
5β-Pregnane-3α,17α,21-triol-20-one, estimation in urine, 473
5β-Pregnane-3α,17α,21-triol-11,20-dione, estimation in urine, 473
5β-Pregnane-3α,11β,17α,21-tetraol-20-one, estimation in urine, 473

5β-Pregnane-3α,17α,20α,21-tetraol-11-one (cortolone)
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
5β-Pregnane-3α,11β,17α,20α,21-pentaol (cortol)
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
5β-Pregnane-3α,11β,17α,20β,21-pentaol (β-cortol)
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
Pregn-4-en-17α-acetoxy-6α-methyl-3,20-dione
hormonal and biological activities of,291
Pregn-4-en-18-al-21-ol-3,11,20-trione
formation of, in rabbit adrenal tissue, from progesterone, 71
Pregn-4-en-18-al-11β,21-diol-3,20-dione (see Aldosterone)
Pregnenolone, conversion to testosterone, in monkey, 49
Pregn-4-en-16α-ol-3,20-dione
formation, from progesterone, in human corpus luteum tissue, 107
Pregn-4-ene-17α-ol-3,20,dione
conversion to testosterone, in monkey, 49
metabolic end product in human corpus luteum, 617
metabolism in human corpus luteum, 617
Pregn-4-en-20α-ol-3-one
double isotope derivative assay for, 257
secretion and synthesis of, by the luteinized rat ovary in vivo, 601
Pregn-4-ene-11β,21-diol-3,20-dione (see Corticosterone)
Pregn-4-ene-16α,17α-diol-3,20-dione acetophenonide
effect on spermatogenesis, 687
Pregn-4-ene-17α,21-diol-3,11,20-trione (see Cortisone)
Pregn-4-ene-18,21-diol,3,11,20-trione
biosynthetic end product from beef adrenal preparation, 71
Pregn-4-ene-11β,17α,21-triol-3,20-dione (see Cortisol)
Pregn-4-ene-11β,18,21-triol-3,20-dione
conversion by beef adrenal preparation, 71
Pregn-4-ene-17α,20α,21-triol-3,11-dione
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
as a metabolite of cortisone in human skin, 489
Pregn-4-ene-17α,20β,21-triol-3,11-dione
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
as a metabolite of cortisone in human skin, 489
Pregn-4-ene-11β,17α,20α,21-tetraol-3-one
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
Pregn-4-ene-11β,17α,20β-21-tetraol-3-one
20,21-acetonide of, on gas-liquid and thin-layer chromatography, 527
Pregn-4-ene-3,20-dione (see Progesterone)
Pregn-5-en-3β-ol-20-one
determination of, in human fetal blood, amniotic fluid, and urine, 359
metabolism in human corpus luteum, 617
(also see Pregnenolone)
Pregn-5-ene-3β,16α-diol-20-one
attempted detection in blood, amniotic fluid,and urine, 359
determination of, in human fetal blood, amniotic fluid, and urine, 359
metabolism in man, 577
Pregn-5-ene-3β,17α-diol-20-one
conversion to testosterone, in monkey, 49
Pregn-5-ene-3β,21-diol-20-one
attempted detection in blood, amniotic fluid, and urine, 359
determination of, in human fetal blood, amniotic fluid, and urine, 359

Pregn-5-ene-3α,16α,20α-triol
principal metabolite of pregn-5-ene-3β,16α-diol-20-one in man, 577
Pregn-5-ene-3β,16α,20α-triol
metabolite of pregn-5-ene-3β,16α-diol-20-one in man, 577
Progesterone
conversion to pregn-4-en-16α-ol-3,20-dione in human corpus luteum,107
conversion to testosterone, in monkey, 49
double isotope derivative assay for, 257
effect on implantation in mice, 591
effect on spermatogenesis, 687
estimation of, in tissues and fluids of pregnant women, by double isotope derivative assay, 279
hormonal and biological activities of, 291
metabolic end product in human corpus luteum, 617
metabolism in human corpus luteum, 617
secretion and synthesis of, by the luteinized rat ovary *in vivo*, 601
Progesterone-4-^{14}C
conversion to aldosterone by rabbit adrenal tissue, 71
effect of triparanol on the metabolism of, in mongolian gerbil, 115
Progestins
hormonal and biological activities of, 291
secretion and synthesis by luteinized rat ovaries, 601
Pseudohermaphroditism
steroid transformations *in vitro* in testicular tissue, 347

Reduction, of 3-ketosteroids, 31
Reichstein's substance EPI-U
(see Pregn-4-ene-17α,20α,21-triol-3,11-dione)
Reichstein's substance U
(see Pregn-4-ene-17α,20β,21-triol-3,11-dione)

Self-decomposition, of cortisol-4-^{14}C, 155
Sodium-1-^{14}C-acetate, rate of incorporation into rat, 1
Sodium bismuthate
use of, as a quantitative oxidant of corticosteroids, 93
Solvolysis in dimethyl sulfoxide
of potassium sulfate salts of certain sterols, 307
Solvolysis in methanol/boron trifluoride
of potassium sulfate salts of certain sterols, 307
Spermatogenesis
interruption of, by percutaneous application of steroids, 687
Steroid identification, by thin-layer chromatography, 169
Steroid reactions, on thin-layer films, 169
Steroid transformations
in vitro studies in human corpora lutea, 617
Steroidal-3-enol heptafluorobutyrates, properties of, 509
Steroidal 4-en-3-ones, formation of 3-enol heptafluorobutyrates, 509
Steroidal ketones, thin-layer identification of, 169
Sterols
acetates of sterols related biosynthetically to cholesterol, mass spectrometry of, 189
thin-layer identification of, 169
4-^{14}C-sterol nucleus (see Cholesterol-4-^{14}C)
Stilbestrol, effect on spermatogenesis, 687

Testicular feminization, effect on testosterone production rates, 441
Testis
monkey, steroid biosynthesis in, 49
steroid transformations *in vitro* in male pseudohermaphroditism, 347
Testosterone
blood and urinary production rates, 441
biosynthesis of, in monkey, 49
determination of, in human plasma, 15
estimation of, in male plasma, a rapid method, 245
formation of, in male testicular tissue, 347
from male plasma, 501
metabolic end product in human thymus, 397
metabolism by chicken uropygial gland, 425
oxidation of, by guinea pig liver dehydrogenase, 75
separation and estimation of, from urine, 457
Testosterone propionate, effect on implantation in mice, 591
Testosterone sulfate, from male plasma, 501
Thin films, steroid reactions on, 169
Thymus, human, activity of 17β-hydroxy-steroid dehydrogenase in (*in vitro*) 397
$\Delta^{4,9,11}$-Triene-3-ketosteroids, preparation of, with DDQ, 211
Triiodothyropropionic acid, as cholesterol biosynthesis inhibitor, 1
Triparanol
effects of, on progesterone metabolism in the adrenal gland of the mongolian gerbil, 115

Unsaturated steroids, thin-layer identification of, 169
Urine
determination of corticosteroids in, 473
determination of 3β-hydroxy-Δ^5-steroids in infants and adults, 359